Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	sscop same (congestion\$1 overtak\$3) same ((monitor\$3 control) near3 (packet\$1 frame\$1 message\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 14:01
L12	3	sscop same (connectionless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 14:36
S4	2	"5007051".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR [.]	OFF	2006/02/01 14:19
S5	2	"20020138639".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 13:53
S20	32	stat with (sequence adj number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 15:35
S27	5147529	sequenc\$3 order\$3 timestamp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 17:42
S33	3315	(monitor\$4 management\$3 status stat ustat poll\$3) adj (packet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 11:45
S34	303	S27 with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 16:49

S35	1422	714/748-752.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:09
S52	147	(sequenc\$3 ordering timestamp\$3) with (smtp icmp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:11
S55	1870	flow with (monitor\$3 manag\$5) with packet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 09:26
S57	113	(sequenc\$3 ordering timestamp\$3) same S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 10:23
S61	2	(Klaus and Tuxen).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S62	159410	Siemens.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:06
S65	1617	709/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:09
S66	2019	370/235,469.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:09

S68	54039	(reorder\$3 retransmission\$1 retransmit\$4 resend\$3 retransfer\$4) same (packet\$1 msg\$1 message\$1 frame\$1 data information signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:47
S71	7243	(monitor\$3 manag\$6) same S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:48
S72	1991	(sequenc\$3 order\$3 timestamp\$3) same S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:48
S73	180	S72.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:48
S74	959	S72 and ("709" "379" "714" "370"). clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:48
S75	1	(sequenc\$3 near integrit\$3) same (control\$3 near (packet\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:20
S76	2775	(sequenc\$3 order\$3 number\$3) near5 (control\$3 near (packet\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:27
S77	1	((service adj specific adj connection adj oriented adj protocol\$1) sscop\$1 msscop\$1) near (multilink\$3 (multi adj link\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:28

S78	2776	(sequenc\$3 order\$3 number\$3) near5 ((stat control\$3) near (packet\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:27
S79	3549	(sequenc\$3 order\$3 number\$3) near5 ((stat control\$3 flow) near (packet\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:27
S80	219	((service adj specific adj connection adj oriented adj protocol\$1) sscop\$1 msscop\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:28
S81	7	S79 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 14:29
S82	114	sequenc\$3 near3 (flow adj (message\$1 packet\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:02
S83	292	expect\$3 near5 (control stat ustat) near2 (frame\$1 pdu\$1 messag\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:07
S84	163663	(determin\$3 detect\$3 establish\$3 discover\$3 ascertain\$3) near3 (new\$3 recent\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:06
S85	169324	Siemens.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37

S86	1639	714/748-752.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:06
S87	1	S83 same S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:06
S88	436	S84 same ((control stat ustat) near2 (frame\$1 pdu\$1 messag\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:07
S89	227	S88 and ("370" "709").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:07
S90	36	S88.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:07
S91	1639	714/748-752.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S92	1793	709/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 15:12
S93	2347	370/235,469.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37

S94	6247	700/220 227 cela	HC DCDHD	OB	٥٢٢	2006/02/05 12:27
37 4	024/	709/230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S99	60	((obsolete (out adj of adj date) antiquated outdated expired) near3 (identif\$7 determin\$5 recogniz\$3 distinguish\$3)) same ((control c (sliding adj window) stat ustat flow) near2 (packet\$1 message\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:30
S10 0	14	((obsolete (out adj of adj date) antiquated outdated expired) near3 (identif\$7 determin\$5 recogniz\$3 distinguish\$3)) same ((control c (sliding adj window) stat ustat flow) near (packet\$1 message\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:09
S10 2	7	((obsolete (out adj of adj date) antiquated outdated) near3 (identif\$7 determin\$5 recogniz\$3 distinguish\$3)) same ((control c (sliding adj window) stat ustat flow) near3 (packet\$1 message\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:18
S10 3	19	(obsolete (out adj of adj date) antiquated outdated) near10 ((control c (sliding adj window) stat ustat) near3 (packet\$1 message\$1 frame\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:12
S10 4	0	(obsolete (out adj of adj date) antiquated outdated) near10 ((analyz\$3 compar\$3 examin\$3 inspect\$3) near5 ((control c (sliding adj window) stat ustat flow) near3 (packet\$1 message\$1 frame\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:22
S10 5	9	(obsolete (out adj of adj date) antiquated outdated) same ((analyz\$3 compar\$3 examin\$3 inspect\$3) near10 ((control c (sliding adj window) stat ustat flow) near5 (packet\$1 message\$1 frame\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:22
S10 6	29	(obsolete (out adj of adj date) antiquated outdated old) same ((analyz\$3 compar\$3 examin\$3 inspect\$3) near10 ((control c (sliding adj window) stat ustat flow) near5 (packet\$1 message\$1 frame\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:34

S10 7	2009	(obsolete (out adj of adj date) antiquated outdated old) same ((analyz\$3 compar\$3 examin\$3 inspect\$3) near10 (((control c (sliding adj window) stat ustat flow) near5 (packet\$1 message\$1 frame\$1))) ack\$1 acknowledgement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:30
S10 8	120	((obsolete (out adj of adj date) antiquated outdated expired) near3 (identif\$7 determin\$5 recogniz\$3 distinguish\$3)) same (((control c (sliding adj window) stat ustat flow) near2 (packet\$1 message\$1 frame\$1)) ack\$1 acknowledgement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:31
S10 9	21	((obsolete (out adj of adj date) antiquated outdated expired) near3 (identif\$7 determin\$5 recogniz\$3 distinguish\$3)) near5 (((control c (sliding adj window) stat ustat flow) near2 (packet\$1 message\$1 frame\$1)) ack\$1 acknowledgement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:33
S11 0	3	((obsolete (out adj of adj date) antiquated outdated) near3 (identif\$7 determin\$5 recogniz\$3 distinguish\$3)) near5 (((control c (sliding adj window) stat ustat flow) near2 (packet\$1 message\$1 frame\$1)) ack\$1 acknowledgement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:33
S11 1	1	(obsolete (out adj of adj date) antiquated outdated old) same (compar\$3 near3 last near3 (ack\$1 acknowledgement\$1 ((control c (sliding adj window) stat ustat) near5 (packet\$1 message\$1 frame\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:35
S11 2	3	(compar\$3 near3 last near3 (ack\$1 acknowledgement\$1 ((control c (sliding adj window) stat ustat) near5 (packet\$1 message\$1 frame\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:39
S11 3	6254	709/230-237.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37

S11 4	2353	370/235,469.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S11 5	1639	714/748-752.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S11 6	169479	Siemens.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S11 7	2	(Klaus and Tuxen).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 12:37
S11 8	4	(ack\$1 acknowledgement\$1 stat ustat ((control c) adj (packet\$1 message\$1 frame\$1))) same (sequence adj integrity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 14:36